



体积式计量机TMA

Volumetric Type Blender TMA

TMA

体积式计量机TMA Volumetric Type Blender TMA

TMA




● 特点 Features

- 多种物料同步失重体积计量。
- 特制混合料管，无需搅拌装置。
- 计量测试简洁，10min内可完成。
- 步进电机精确控制精度，配比精度 $\pm 1\%$ 以内。
- 换料清扫方便，无专用工具10min可清扫完成。
- 触摸屏操作，多种配方存储。
- 配上吸料机及料杯可实现自动投料。
- 使用数据化报警履历记录。
- 配上吸料机、料杯、架台可以实现放置在地面。


- A variety of materials volumetric dose simultaneously.
- Special material tube, don't need mixing device.
- Dose test simply, less than 10min to complete test.
- Step-motor precisely control speed, the commercial mix precision $\pm 1\%$.
- Easily clean, less than 10min to clean without special tools.
- Operate with Touch screen, can save a variety of recipe.
- Automatic feeding can be realized with auto-loader and suction hopper.
- Using digital alarm history records.
- It can be placed on the floor with auto-loader, suction hopper and frame.

● 产品结构图 Product Structure Diagram

1. TMA-103-L/TMA-203-L外形图



2. TMA-102-L/TMA-202-L外形图



产品型号MODEL	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	F(mm)	G(mm)	H(mm)	I(mm)	J(mm)	K(mm)	L(mm)	M(mm)	N(mm)
TMA-102-L	845	360	1325	258	580	600	980	400	80	120	140	69	12	382
TMA-103-L	845	640	1325	258	580	600	980	400	80	120	140	69	12	382
TMA-202-L	885	367	1570	258	580	595	1146	400	80	120	140	69	12	382
TMA-203-L	885	650	4570	258	580	595	1146	400	80	120	140	69	12	382

● 规格表 Specification Sheet

产品型号 MODEL	TMA-102-L	TMA-103-L	TMA-202-L	TMA-203-L
物料种类 Material number	2	3	2	3
最大处理能力 kg/hr	130		400	
材料贮存容量 (Lr) Capacity of material(Lr)	10×2	10×3	20×2	20×3
配比精度 commercial mix precision	±1%			
电源power	主回路电压 main current power AC200V/220V 50Hz 1P 2W+E(标准电压) (standard voltage)			
	控制回路电压 control current voltage AC200V/220V 50Hz 1P 2W+E			
	总电气容量(kW)Total electric capacity 0.2		0.5	
电源线 power line(m)	5			
重量 weight(kg)	35	50	60	80
外形尺寸(mm) (长×宽×高) dimensions(mm) (L×W×H)	845×340×968	845×624×968	885×340×1150	885×650×1150

注：产品规格若有变更，恕不另行通知 We reserve right to change specifications without prior notice

有关产品性质和适用范围的说明并不保证产品属性，仅作可供了解的信息。我们的供货范围及提供的服务完全以合同条款为准绳。技术数据和插图仅作为供货参考。保留更改权利。

Feature and scope of the product does not guarantee the product attributes, only for reference. Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract. Technical data and illustration are only for reference. We reserve the rights of changing.

TSD-2021-12

广东拓斯达科技股份有限公司

GUANGDONG TOPSTAR TECHNOLOGY CO.,LTD.

地址：广东省东莞市大岭山镇大塘朗创新路2号

ADD : No.2 Chuangxin Road, Datanglang, Dalingshan Town, Dongguan City, Guangdong Province.

电话/TEL: 0769-8305 0999 传真/FAX: 0769-8584 5562

全国统一客服热线 Domestic Service Hotline **400-096-8005**

